

DAUGHSON




AIR CONDITIONER

Split Air Conditioners

ECOFROST

DAUGHSON



1.0 Ton

BTU Capacity: 12000

Cooling Capacity (Full Load | Half Load): 3400W | 1700W

Rated ISSR: 3.85

Rotary Compressor

BLDC Indoor Unit Motor

R-32 Refrigerant

Indoor Unit Dimensions: 830 x 235 x 315 mm

BTU Capacity: 18000 | 22000

Cooling Capacity (Full Load | Half Load): 5150W | 2600W (1.5T)


Cooling Capacity (Full Load | Half Load): 6100W | 3050W (1.5T)

Rated ISSR: 3.85 | Rotary Compressor

BLDC Indoor Unit Motor

R-32 Refrigerant

Indoor Unit Dimensions: 930 x 235 x 315 mm



1.5 | 1.8 Ton

BTU Capacity: 24000

Cooling Capacity (Full Load | Half Load): 7200W | 3600W


Rated ISSR: 3.85

Rotary Compressor

BLDC Indoor Unit Motor

R-32 Refrigerant

Indoor Unit Dimensions: 1100 x 235 x 315 mm




2.0 Ton

Disclaimer: Image shown is for reference & actual product may differ.

Split Air Conditioners

PUREAIR

DAUGHSON



HOT & COLD

1.0 Ton

BTU Capacity: 12000

Cooling Capacity (Full Load | Half Load): 3400W | 1700W

Rated ISSR: 3.85

Rotary Compressor

BLDC Indoor Unit Motor

R-32 Refrigerant

Indoor Unit Dimensions: 830 x 235 x 315 mm

BTU Capacity: 18000 | 22000

Cooling Capacity (Full Load | Half Load): 5150W | 2600W (1.5T)


Cooling Capacity (Full Load | Half Load): 6100W | 3050W (1.5T)

Rated ISSR: 3.85 | Rotary Compressor

BLDC Indoor Unit Motor

R-32 Refrigerant

Indoor Unit Dimensions: 930 x 235 x 315 mm



HOT & COLD

1.5 Ton

BTU Capacity: 24000

Cooling Capacity (Full Load | Half Load): 7200W | 3600W


Rated ISSR: 3.85

Rotary Compressor

BLDC Indoor Unit Motor

R-32 Refrigerant

Indoor Unit Dimensions: 1100 x 235 x 315 mm




HOT & COLD

2.0 Ton

Disclaimer: Image shown is for reference & actual product may differ.

Window Air Conditioners

DAUGHSON



SNOWDRIFT

BTU Capacity: 18000

Cooling Capacity (Full Load | Half Load): 4800W | 2400W

Rated ISSR: 3.15

Rotary Compressor

AC Indoor Unit Motor

R-32 Refrigerant

Indoor Unit Dimensions: 770 x 660 x 430 mm

AC Remote control

1.5 Ton | 3 STAR

BTU Capacity: 18000

Cooling Capacity (Full Load | Half Load): 4900W | 2450W

Rated ISSR: 3.55


Rotary Compressor

AC Indoor Unit Motor

R-32 Refrigerant

Indoor Unit Dimensions: 770 x 660 x 430 mm

AC Remote control



1.5 Ton | 5 STAR

Disclaimer: Image shown is for reference & actual product may differ.