





DAUGHSUN



AQUA TECH

Capacity: 10L | 15L | 25L

Heating Element: 100% Cu | 2kW

Glassline Tank

Rated Pressure: 0.8Mpa | 8 Bar

LED Indicators

PP Body

Capillary Thermostat

Disc Cut-out

Vertical Mounting

Indoor Residential Usage

DAUGHSUN

AQUA POWER

Capacity: 10L | 15L | 25L

Heating Element: 100% Cu | 2kW

Glassline Tank

Rated Pressure: 0.8Mpa | 8 Bar

Digital Display

Pre Coated Metal Sheet Body

Capillary Thermostat

Disc Cut-out

Vertical Mounting

Indoor Residential Usage





AQUA SMART

Capacity: 10L | 15L | 25L

Heating Element: 100% Cu | 2kW

Glassline Tank

Rated Pressure: 0.8Mpa | 8 Bar

Changing LED Color

ABS Body

Capillary Thermostat

Disc Cut-out

Vertical Mounting

Indoor Residential Usage

DAUGHSUN



Capacity	3L	5.9L
Rated Pressure	0.65Mpa	0.65Mpa
Power	3000W	3000W
Tank	SS 304	SS 304
Application	Indoor	Indoor
Thermostat	Stem	Stem
Thermal Cut-Out	Disc	Disc

Capacity	3L	5.5L
Rated Pressure	0.65Mpa	0.65Mpa
Power	3000W	3000W
Tank	SS 304	SS 304
Application	Indoor	Indoor
Thermostat	Stem	Stem
Thermal Cut-Out	Disc	Disc



FLASH



Capacity	3L	5.5L
Rated Pressure	0.65Mpa	0.65Mpa
Power	3000W	3000W
Tank	SS 304	SS 304
Application	Indoor	Indoor
Thermostat	Stem	Stem
Thermal Cut-Out	Disc	Disc

SWIFT

RAPID